

Message

From: Loesel, Matthew [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=F2136F67BD8644149EF4883722E4DA9A-LOESEL, MATT]
Sent: 12/2/2019 11:16:43 AM
To: Cook, David [David.Cook@westonsolutions.com]
Subject: Re: Discussion Items for 6pm Coordination Call

I will get with you when I get in

Sent from my iPhone

On Dec 1, 2019, at 9:05 PM, Cook, David <David.Cook@westonsolutions.com> wrote:

We have the majority of the requested in the viewer already.

Boom locations and fish kill locations I need to reach out to the team.

What can I do on my end to prepare you for this meeting?

https://gis.eparm.net/r6/TPC_Fire/Login

David Cook
START R6 IT/Data Management Lead
Weston Solutions, Inc.
(469) 666-5505 Direct
(512) 970-8836 Cell

From: Loesel, Matthew <loesel.matthew@epa.gov>
Sent: Sunday, December 1, 2019 8:54 PM
To: Cook, David <David.Cook@WestonSolutions.com>
Subject: Fwd: Discussion Items for 6pm Coordination Call

**** External Email ****

Looks like it may be first thing in morning

Sent from my iPhone

Begin forwarded message:

From: "Carroll, Craig" <Carroll.Craig@epa.gov>
Date: December 1, 2019 at 4:04:09 PM CST
To: "Adams, Adam" <Adams.Adam@epa.gov>, "Loesel, Matthew" <loesel.matthew@epa.gov>
Cc: "Rouse, Philip" <rouse.philip@epa.gov>, "Delgado, Eric" <Delgado.Eric@epa.gov>, "Smalley, Bryant" <smalley.bryant@epa.gov>
Subject: Discussion Items for 6pm Coordination Call

Just spoke with Lisa and she requested we post the following today so senior staff can orient themselves to site activities tomorrow:

- General site map showing facility and highlighting impacted areas of facility.
- Map of drainage with boom locations, water monitoring and sampling locations and fish kill locations.

She was also wanted to know:

- <!--[if !supportLists]--><!--[endif]-->If citizens were finding debris
- <!--[if !supportLists]--><!--[endif]-->Are there plans to use FLIR technology for identify locations of butadiene leaks.
- <!--[if !supportLists]--><!--[endif]-->What water monitoring results (DO, conductivity, etc.) are showing and could fish kill be related to DO for instance.

Craig

WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.